

AUTHOR INDEX, VOLUME THIRTY-FIVE

- Acsai, Jan, Ectomycorrhizal fungi associated with *Pinus edulis* in the Piceance Basin of Colorado 107-119
- Adler, Mónica T., Two new species in Parmeliaceae (lichenized Ascomycotina) and new records for Argentina 399-404
- Anon., NOTICE: BITNET address of Mycotaxon's Managing Editor 200
- Anon., NOTICE: Charles Chupp's "A Monograph of the Fungus Genus *Cercospora*" again available 199
- Bandala-Muñoz, Victor M., Gastón Guzmán, and Leticia Montoya-Bello, Additions to the knowledge of *Phaeocollybia* (Agaricales, Cortinariaceae) from Mexico, with description of new species 127-152
- Billon-Grand, Geneviève, A new ascosporeogenous yeast genus: *Yamadazyma* gen. nov. 201-204
- Brako, Lois, Reevaluation of the genus *Phyllopsora* with taxonomic notes and introduction of *Squamacidia*, gen. nov. 1-19
- Brusse, Franklin A., Four new species of *Parmelia* (Lichenes) from southern Africa, with further notes, new combinations and new lichen records 21-34
- Buyck, Bart, Études microscopiques de Russules tropicales: *Mimeticinae* subsectio nov. 55-63
- Buyck, Bart, Quelques Russules à lamprocystides 45-54
- Chen, Zuei-ching, see Hsue & al.
- Dalpé, Yolande, Walter Litten, and Lynne Sigler, *Scytalidium vaccinii* sp. nov., an ericoid endophyte of *Vaccinium angustifolium* roots 371-377
- Dick, M. W., *Phytophthora undulata* comb. nov. 449-453
- Diederichs, Christoph, see Walker and Diederichs
- Elix, John A., and Gillian A. Jenkins, New species and new records of *Hypogymnia* (lichenized Ascomycotina) 469-476
- Elix, John A., Gillian A. Jenkins, and H. Thorsten Lumbech, Chemical variation in the lichen *Lecanora epibryon* s. ampl. (Lecanoraceae: Ascomycotina) 169-175
- Gams, W., and Helgard I. Nirenberg, A contribution to the generic definition of *Fusarium* 407-416
- Guzmán, Gastón, see Bandala-Muñoz & al.
- Haines, John H., Studies in the Hyaloscyphaceae V: Species described by C. H. Peck 317-352
- Hale, Mason E., A monograph of the lichen genus *Karsoovia* Hale (Ascomycotina: Parmeliaceae) 177-198
- Hale, Mason E., A new lichen genus, *Psiloparmelia* Hale (Ascomycotina: Parmeliaceae) 41-44
- Hale, Mason E., see Nagarkar and Hale
- Halling, Roy E., see Pfister and Halling
- Hansen, Eric Steen, The lichen flora of Qaanaaq (Thule), northwestern Greenland 379-394
- Hennebert, G. L., Book Reviews 481-483
- Ho, H. H., and S. C. Jong, *Phytophthora nicotianae* (P. parasitica) 243-276
- Holm, Sv. Nørgaard, see Skou and Holm
- Honrubia, M., see Roldán and Honrubia

- Hseu, Ruey-shyang, Zuei-ching Chen, and Hsi-hua Wang, *Ganoderma microsporum*, a new species on weeping willow in Taiwan 35-40
- Jenkins, Gillian A., see Elix and Jenkins
- Jenkins, Gillian A., see Elix & al.
- Jong, S. C., see Ho and Jong
- Kirk, Paul M., A new species of *Benjaminiella* (Mucorales: Mycotyphaceae) 121-125
- Kobayasi, Yosio, On the new genus *Japonogaster* (Lycoperdaceae) 71-73
- Korf, Richard P., see Zhuang and Korf
- Kristiansen, Roy, see Yang and Kristiansen
- Li, Hui-zhong, see Li and Li
- Li, Yu, and Hui-zhong Li, Myxomycetes from China. I. A checklist of Myxomycetes from China 429-436
- Litten, Walter, see Dalpé & al.
- Lowen, Rosalind, and A. Sivanesan, *Leptosphaeria pimpinellae* and its *Phoma* anamorph 205-210
- Lumbsch, H. Thorsten, see Elix & al.
- Marvanová, Ludmila, and Felix Bärlocher, Hyphomycetes from Canadian streams. II. Three new taxa 85-99
- Montoya-Bello, Leticia, see Bandala-Muñoz & al.
- Moravec, Jiří, *Cheilymenia megaspora* comb. nov. A new combination in the genus *Cheilymenia* (Discomycetes, Pezizales, Pyronemataceae) 65-69
- Morgan-Jones, Gareth, and James F. White, Jr., Concerning *Atkinsonella texensis*, a pathogen of the grass *Stipa leucotricha*: developmental morphology and mating system 455-467
- Muchovej, J. J., and A. O. Carvalho, A new combination for *Helminthosporium euphorbiae* 159-162
- Nagarkar, M. B., and Mason E. Hale, New species in the lichen family Thelotremaaceae from Asia (Ascomycotina) 437-447
- Nag Raj, T. R., Redisposals and redescription in the *Monochaetia-Seiridium*, *Pestalotia-Pestalotiopsis* complexes. IX. On the status of *Pestalotia eupyrenia*, *Pestalotia gastrolabi* and *Pestalotia veneta* 287-296
- Nirenberg, Helgard I., see Gams and Nirenberg
- Pfister, Donald H., and Roy E. Halling, *Ascosparsis heinricheri* from Venezuela: an extended distribution 283-285
- Ramaley, Annette W., *Discosporia ceanothi*, a new coelomycete 101-106
- Richter, Dana L., Northern fruiting of *Pisolithus tinctorius* (Gasteromycetes, Sclerodermatales) 477-480
- Roeijmans, H. J., G. W. van Eijk, and D. Yarrow, Some name changes necessitated by the redefinition of the genus *Candida* 405-406
- Roldán, A., and M. Honrubia, A new *Trichocladium* isolated from submerged wood test blocks in a freshwater stream 363-356
- Ryvarden, Leif, Type studies in the Polyporaceae — 21. Species described by C. G. Lloyd in *Cyclomyces*, *Daedalea*, *Favolus*, *Fomes* and *Hexagonia* 229-236
- Sammy, Nathan, Checklist of Western Australian lichens 417-428
- Santamaría, Sergio, Two new species of *Laboulbenia* (Laboulbeniales) parasitic on endogean carabid beetles 163-168
- Sérusiaux, Emmanuël, *Echinoplaca furcata*, a new species of foliicolous lichen (Gomphillaceae) from Rwanda 237-242

- Sieverding, Ewald, see Spain & al.
 Sigler, Lynne, see Dalpé & al.
 Sivanesan, A., see Lowen and Sivanesan
 Skou, J. P., and Sv. Nørgaard Holm, *Ascospaera tenax* species nova and a variant of *Ascospaera aggregata* 211-218
 Spain, Joyce Lance, Ewald Sieverding, and Silvia Toro T., *Scutellospora biomata*: a new species in the Endogonaceae from the Llanos Orientales of Colombia 219-227
 Toro T., Silvia, see Spain & al.
 Tulloss, Rodham E., *Amanita ristichii*: a new species from New England with basidia dominantly 2-spored 363-369
 van Eijk, G. W., see Roeljmans & al.
 Vánky, Kálmán, Taxonomical studies on Ustilaginales. IV 153-158
 Vasilyeva, L. N., *Azbukinia* gen. nov. 395-397
 Walker, Christopher, and Christoph Diederichs, *Scutellospora scutata* sp. nov., a newly described endomycorrhizal fungus from Brazil 357-361
 Wang, Hsi-hua, see Hseu & al.
 White, James F., Jr., see Morgan-Jones and White
 Wolfe, C. B., Jr., Studies in the genus *Xanthoconium* (Boletaceae). III. Cultural studies 75-84
 Yang, Chin S., and Roy Kristiansen, *Ascorhizoctonia ascophanoides* sp. nov.: anamorph of *Tricharina ascophanoides* 313-316
 Yarrow, D., see Roeljmans & al.
 Yu, Yong-nian, see Zhang and Yu
 Zhang, Bin-cheng, and Yong-nian Yu, *Chamonixia bispore* sp. nov. (Boletales) from China 277-281
 Zhuang, Wen-ying, and Richard P. Korf, Some new species and new records of Discomycetes in China. III 297-312



INDEX TO FUNGOUS AND LICHEN TAXA, VOLUME THIRTY-FIVE

This index contains the names of genera, infrageneric taxa, species, and infraspecific taxa. New names are in **boldface**, as are the page numbers on which such new taxa are proposed.

- Absconditella
 - delutula 379, 384, 388, 391
- Acarospora
 - cervina 419
 - chlorophana 382, 389
 - citrina 419
 - ferdinandii 419
 - negligens 419, 426
 - novae-hollandiae 419
 - sinopica 382, 390, 419
 - smaragdula 382
- Acaulospora 360
 - comosus 360
- Acervus 298
 - aurantiacus 283
 - epispertius 298
 - f. **albus** 297
 - f. epispertius 297
- Acremonium 410, 459, 464, 466
 - sect. Albo-lanosa 456, 464, 466
 - chisosum 466
 - coenophialum 464, 466
 - lolii 464
 - starrii 466
 - typhinum 455, 456, 464
- Actinoplaça 237
- Albotricha 320, 321
 - acutipila 320
 - longispora 317-320
- Alectoria
 - nigricans 382, 386
 - ochroleuca 382
- Aleurodiscus 349
- Amanita 367
 - sect. *Vaginatae* 363, 367
 - alba 368
 - cinerea 367
 - pachysperma 363, 367
 - ristichii** 363, 364, 366-368
 - submembranacea
 - var. bisporea 363, 367, 368
 - vaginata
 - var. **alba** 368
 - virginiana 363, 367, 368
- Amaurochaete
 - atra 434
- Amauroderma
 - bataanense 233
- Amicodisca 351
 - viridicoma** 317, 346, 350
- Anema 419
- Anthostoma 396
- Anthracoidea 154
 - caricis 153
- Apiotrichum 405
 - futonensis 405, 406
 - nothofagi 405, 406
- Arborispora 92
 - dolichovirga 92
 - multisurcularis 92
 - palma 92
 - paupera** 85, 90-94, 97
- Arctoparmelia 41-43
 - aleuritica 41, 42
- Arcyria
 - annulifera 431
 - camea 431
 - cinerea 431
 - denudata 431
 - ferruginea 431
 - glauca 431
 - globosa 431
 - incarnata 431
 - insignis 431
 - leiocarpa 431
 - magna 431
 - major 431
 - nigella 431
 - nutans 431
 - occidentalis 431
 - oerstedtii 431
 - pomiformis 431
 - stipata 431
 - versicolor 431
 - virescens 431
- Anthenia
 - fimicola 66
- Anthonia 419
- Arthopyrenia
 - lapponica 419
- Arthothelium
 - interveniens 419
- Arthrobotrys 410
- Arthrorhaphis
 - citrinella 382, 386
- Ascocoryne
 - cylichnium 309, 310
- Ascorhizoctonia 314, 316

- ascophanoides** 313, 314-316
 ochroleuca 314, 316
Ascosparassis 283, 284
 heinricheri 283-285
 shimizuensis 283, 284
Ascosphaera 211, 212, 214, 216, 217
 aggregata 211, 214, 216, 217
 apis 217
 atra 216, 217
tenax 211, 212-214, 216
Aspergillus 213, 216
Aspicilia 178
 calcarea 419
 var. *caesioalba* 419
Atkinsonella 455, 456, 458, 464, 466
 hypoxylon 455, 456, 458, 463, 464
 var. *hypoxylon* 458
 var. *texensis* 458, 460
 texensis 455, 456, 458-460, 463, 464, 466
Atractobolus
 chamaeleontinus 324
 cruciferus 341
 luteodiscus 332
 sulphurellus 341
Aulaxina 237
Australoporus
 tasmanicus 232
Azbukinia 395, 396
 ferruginea 395, 397

Bacidia 2, 4, 6, 11
 microphyllina 419
 rosella 4, 6, 18
 subuletorum 419
Badhamia
 affinis 432
 capsulifera 432
 macrocarpa 432
 nitens 432
 obovata 432
 utricularis 432
Badhamiopsis
 ainoae 432
Baeomyces
 placophyllus 382, 387
 roseus 382, 387
Balsania 455, 456, 466
 claviceps 463
 henningsiana 456
 hypoxylon 455, 458
Balansiopsis 456, 466
 asclerotica 456
 gaduae 456, 466
 pilulaeformis 456

Belonidium 321
 aeruginosum 321
 solenia 337
Benjaminia 121
Benjaminella 121, 124, 125
 multispora 121, 124, 125
 poitrasii 121, 124, 125
 youngii 122-125
Biatora 2, 4, 11
 coroniformis 16
 efflorescens 4
 leucophyllina 17
 parvifolia
 var. *subgranulosa* 12
 pyrrhomelaena 17
 vernalis 4
Bipolaris 159, 160
 euphorbiae 160
Bispora 341
Blastenia 419
Boletus
 affinis 77
 var. *maculosum* 77
Botryosphaeria 396
 ferruginea 395
Bryocaulon
 divergens 383
Bryonora
 castanea 383, 387
 rhypariza 379, 383
Bryoria
 chalybeiformis 386
 nitidula 383, 388
Buellia
 cretacea 419
 desertorum 419, 426
 disciformis 419
 epigaea 419
 farinulenta 419
 glomerulans 419, 426
 inturgescens 419
 marginulata 419
 pulverulenta 379, 384, 391, 392
 punctata 419
 retrovertens 419
 spuria 419
 stellulata 419
 stigmata 419
 subalbula 419
 subcoronata 419
 subdisciformis 419
Bullatina 237

Calenia 237
Caleniopsis 237
Calicium

- abietinum 419
- glaucellum 419
- robustellum 419
- salicinum 419
- subquercinum 419
- tricolor 419
- victorianum
 - subsp. desidiosum 419
 - subsp. victorianum 419
- Calomyxa
 - metallica 431
- Calonectria 408
- rigidiuscula 408
- Caloplaca 386, 392
 - alcarum 384, 391, 392
 - ammiospila 384, 386, 387
 - aurantiaca 419
 - celata 384
 - cerina 385, 386, 388, 392, 419
 - cinnabarina 419
 - citrina 419
 - epiphyta 385
 - epithallina 385, 392
 - erythrosticta 419, 426
 - ferruginea 419
 - flavorubescens 419
 - granularis 419
 - holocarpa 419
 - irubescens 419
 - jungermanniae 385, 386
 - lactea 420
 - lateritia 420, 426
 - lithophila 385
 - marina 420
 - murorum 420
 - var. areolata 420
 - var. miniata 420
 - var. oblitterata 420
 - psoricida 379, 385
 - saxicola 420
 - saxifragarum 385
 - tetraspora 385, 388
 - tirolensis 385, 386, 388, 392
- Calvatia 73
- Calycella 341
 - subochracea 317, 340
- Calycina 310
 - herbarum 310
- Candelaria
 - concolor 420
 - spraguei 420
 - xanthostigmoides 420
- Candelariella
 - antenaria 420
 - athallina 382
 - aurella 382, 392
 - placodizans 382, 386, 388
 - vitellina 382, 389-391, 420
 - xanthostigma 382, 420
- Candida 405
 - buffonii 405
 - dulcaminis 405, 406
 - huempii 405, 406
 - lignophila 405, 406
- Canopamelia
 - macrospora 420
 - pruinata 420
- Catapyrenium
 - cinereum 385
 - compactum 420
 - daedaleum 385
 - lachneum 420
 - squamulosum 379, 385
- Catillaria
 - atropurpurea 420
 - chalybeia 420
 - lenticularis 420
- Catinaria
 - subcorallina 16
- Catolechia
 - glomerulans 426
- Cenococcum
 - geophilum 107, 109, 112, 115
- Cephalosporium 410
 - indicum 411
 - proliferatum 414
 - sacchari 414
- Ceraterium
 - aureum 432
 - concinnum 432
 - leucocephalum 432
 - minutum 432
 - rubronodum 432
- Ceratiomyxa
 - fruticulosa 430
- Cetraria
 - cucullata 383, 386, 387
 - delisei 383, 387
 - islandica 169, 383, 387
 - nigricans 383
 - nigricascens 383, 387, 388
 - nivalis 383, 386, 387
- Chaenotheca
 - brunneola 420
 - carthusiae 420
 - chrysocephala 420
 - ferruginea 420
 - melanophaea 420
- Chaenothecopsis
 - debilis 420

- pusilla 420
- Chailetia 395, 396
 - ferruginea 395-396
- Chamonia 277, 278, 280
- bispora 277, 278-281
- caespitosa 277, 278, 280
- mucosa 280
- octorugosa 280
- pachydermis 280
- vittatispora 280
- Cheilymenia 65, 66
 - coprinaria 65, 66, 68
 - var. megaspora 65, 66
 - fimicola 65, 66
 - humarioides 67
 - megaspora 65, 66-69
 - rarpila 65, 67
 - rubra 67
- Chondropsis
 - semiviridis 420
- Chroogomphus
 - tomentosus 110, 115, 117
- Chrysothrix
 - candelaris 420
- Cienkowskiia
 - reticulata 432
- Ciliochorella 101
- Conractia 154
 - caricis 153
 - f. minor 153
- Cistella 325, 350
 - grevillei 317, 349
- Cistellina 325
 - chamaeleontina 317, 324, 327
 - hymenophila 325
- Cladia
 - aggregata 174, 420
 - corallaizon 420
 - ferdinandii 418, 420
 - schizopora 420
 - sullivani 420
- Cladina
 - confusa 420
- Cladobotryum 464
- Cladonia
 - alaskana 379, 382, 388, 391
 - amaurocraea 382, 387, 420
 - angustata 420
 - arbuscula
 - subsp. mitis 382, 387
 - borbonica 420
 - calyciformis 420
 - capitata 420
 - capitellata 420
 - carassensis 420
 - cariosa 382, 420
 - cenotea 382, 388
 - cervicornis 420
 - subsp. verticillata 420
 - chlorophaea 382, 420
 - coccifera 382, 387
 - coniocraea 420
 - cornuta 382, 388
 - subsp. groenlandica 382
 - degenerans 420
 - ecmocyna 382
 - enantia 420
 - fimbriata 382, 420
 - foliacea 420
 - var. firma 420
 - furcata 420
 - gracilis 382
 - krempelhuberi 420
 - luteoalba 382, 387
 - macilenta 420
 - macroceras 383
 - macrophylla 383
 - merochlorophaea 421
 - ochrochlora 421
 - phyllophora 421
 - pleurota 383, 421
 - polydactyla 421
 - praetermissa 421
 - pyxidata 383, 387, 421
 - ramulosa 421
 - rigida 421
 - scutellata 417
 - southlandica 421
 - squamosa 383, 388
 - stricta 383, 388
 - subcervicornis 421
 - sulcata
 - var. wilsonii 421
 - tesellata 421
 - theophila 421
- Cladosporium 463
- Clastoderma
 - debaryanum 430
- Claviceps 458
 - purpurea 456, 458
- Clavisdiscum 350
- Coccocarpia
 - erythroxili 421
- Coelocaulon
 - aculeatum 421
 - muricatum 383, 386
- Cokeromyces
 - poitrasii 121
- Collema
 - coccophorum 421
 - glaucothalamum 421

- Coltricia*
 vallata 233
Comatricha
 cylindrica 434
 dictyospora 434
 elegans 434
 irregularis 434
 laxa 434
 longa 434
 lurida 434
 nigra 434
 pulchella 434
 subcaespitosa 434
 tenerrima 434
 typhoides 434
Coniocybe
 furfuracea 383, 388
Coprobria 66, 298
 magnifica 297, 298, 299
Cordierites
 sprucei 304
Corioliopsis
 asper 235
 floccosa 236
Coryne
 cylichnium 310
 umalis 309
Cribraria
 argillacea 430
 atrofusca 430
 aurantiaca 430
 confusa 430
 dictyospora 430
 enodis 430
 intricata 430
 languescens 430
 macrocarpa 430
 martinii 430
 microcarpa 430
 minutissima 430
 montana 430
 oregana 430
 piriformis 430
 purpurea 430
 rufa 430
 splendens 430
 tenella 430
 violacea 430
 vulgaris 430
 zhoui 430
Crocynia
 gossypina 16
Cryphosphaeria 408
Cryptococcus 405, 406
 huempii 406
Culcitalna 356
 achraspora 356
Cyclomyces 229, 230
 albida 230
 isabellina 230
Cylindrocarpon 414
Cyphelium
 trachylioides 421
Cyphella
 tiliae 347
Cystocoleus
 ebenus 385, 388
Dactylina
 arctica 383, 388
 ramulosa 383
Daedalea 229, 230
 actinophila 231
 boscii 230
 fuscospora 230
 fuscospora-stratosa 230
 glabra 230
 maculata 230
 mollicula 230
 reflexa 230
 ridleyi 230
 roseola 230
 sinensis 231
 sprucei 230, 231, 233
 stratosa 231
 sulcata 236
 umbrina 231
 ungulata 231
Dasyscypha
 capitata 323
 chamaeleontina 324
 clavispora 335
 crucifera 341
 leucostoma 340
 luteodisca 332
 phragmiticola 328, 330
 scintillans 323
 sulphuricolor 345
 turbinulata 326
Dasyscyphella 347
 cinnamomea 317, 345, 347
 dryina 347
 nivea 347
 sulphuricolor 317, 345, 346
Dasyscyphus 341
 albidoreus 332
 clavisporus 335
 solenia 337
 subochraceus 341
 thindii 341

- Debaryomyces 201, 202
- Degelia
 - duplmarginata 421
- Dendrospora 94
- Dermatea
 - kalmiae 331
- Descalsia
 - cruciata 94
- Diachea
 - bulbillosa 434
 - leucopodia 435
 - splendens 435
 - subsessilis 435
 - synspora 435
- Diaporthe 396
- Dichobotrys
 - abundans 310
- Dictydiaethelium
 - plumbeum 430
- Dictydium
 - cancellatum 430
 - mirabile 430
- Diderma
 - asteroides 432
 - chondrioderma 432
 - cor-rubrum 432
 - effusum 432
 - floriforme 432
 - globosum 432
 - hemisphaericum 432
 - lyallii 432
 - platycarpon 432
 - radiatum 432
 - spumarioides 432
 - testaceum 432
- Didymium
 - anellus 432
 - clavus 432
 - crutaceum 432
 - difforme 432
 - eximium 433
 - intermedium 433
 - iris 433
 - leonium 433
 - melanospermum 433
 - minus 433
 - nigripes 433
 - ovoideum 433
 - proximum 433
 - squamulosum 433
 - serpula 433
 - vaccinum 433
 - verrucosporum 433
- Dimelaena 178
 - oreina 177, 384, 390
- Diploicia
 - canescens 421
- Diploschistes
 - gypsaceus 421
 - hensseniae 421
 - ocellatus 421
 - scruposus 421
- Diplotomma
 - alboatrum 421
- Dirinaria
 - aegialita 421
 - applanata 421
 - batavica 421
 - picta 421
- Discosia 101-103
- Discosiospora 101 -104
 - ceanothi 101, 103, 105
- Doassansia 154
 - lythropsidis 153, 154
 - peplidis 153, 154
 - punctiformis 153, 154
 - winteri 154
 - winteriana 154
- Doliomyces 101, 102
- Dothichloë 456
 - hypoxylon 456
- Drechslera 159
 - euphorbiae 159, 160
- Dyslachnum
 - albidorseum 332
- Echinochaete
 - brachyporus 232
- Echinoplaca 237, 238, 241
 - atrofusca 241
 - epiphylla 241
 - furcata 237, 238, 239, 241
 - similis 241
- Echinostelium
 - minutum 430
- Encoelia
 - helvola 304
- Endocarpon
 - helmsianum 421
- Endomycopsis
 - ohmeri 203
 - scolyti 203
- Endothia 396
- Enerthenema
 - papillatum 435
- Enteridium
 - lycoperdon 431
 - splendens 431
- Entrophospora 360
- Entyloma
 - ludwigianum 153, 155

- scalianum 153, 155
Ephebe
 lanata 421
Ephelis 455, 456, 458-460, 462-464, 466
 borealis 456
 mexicana 463
Epichloë 455, 456, 458
 hypoxylon 455, 456
 typhina 455, 456, 463, 464
Epilithia 238
Eremastrella
 crystallifera 421
Erionema
 aureum 433
Eschatogonia 2, 4, 6, 11
Eurotium 213
Exserohilum 159

Farysia
 olivacea 154
 thuemenii 153, 154
Favolus 229, 231
 africanus 231
 bengala 231
 caespitosus 232
 dussii 232
 glandulosus 232
 grammocephalus 232
 kauffmanii 232
 lagunae 232
 leeuwenii 232
 lutescens 232
 mollis 232
 parviporus 232
 peponinus 232
 roseus 232
 samoensis 232
 scabro-lineatus 232
 trigonus 232
 whetstonei 232
Fellhanera
 cryptocarpa 16
Flagellospora 98
 curvula 98
 fusarioides 98
 leucorhynchos 98
 minuta 98
 penicillioides 98
 saccata 85, 94-98
 stricta 98
Flavoparmelia
 diffractaica 421
 ferax 421
 haysomii 401
 papillosa 401
 procuplecta 421
 rutidota 421
 scabrosina 421
 secalonica 421
Fomes 229, 232
 agglutinatus 232
 albotextus 232
 angularis 232
 annularis 232
 borealis 232
 clelandii 232
 cuneatus 232
 densus 233
 durissimus 233
 gilvus 233
 glaucoporus 233
 gossweilerii 233
 graffii 233
 hawaiensis 233
 intertextus 233
 koningsbergii 233
 latistipitatus 233
 longinquus 233
 longosporus 233
 magnosporus 233
 malvenus 233
 mirabilis 233
 nontostus 233
 olivaceus 233
 oroflavus 234
 oroniger 234
 ostricoloris 234
 perlevis 234
 petchii 234
 polyzonus 234
 pseudoaustralis 234
 pseudopetchii 234
 psila 234
 pusillus 234
 reviviscens 234
 rhaponticus 234
 rheicolor 234
 roseotubulus 235
 sanfordii 235
 sanjanii 235
 sculpturatus 235
 setulosus 235
 sublamaensis 235
 tepperii 235
 yasudai 235
Fomitopsis
 avellanae 233
 pseudopetchii 234
Fulgensia
 bracteata 421

- subbracteata 421
- Fuligo
 - cinerea 433
 - intermedia 433
 - licenti 433
 - muscorum 433
 - rufa 433
 - septica 433
- Fusarium 407-414
 - sect. Arthrosporiella 410, 412
 - sect. Elegans 410-413
 - sect. Eupionnotes 410, 412
 - sect. Liseola 409-414
 - sect. Martiella 410, 412, 413
 - sect. Roseum 410, 412
 - sect. Spicarioides 410, 412
 - sect. Sporotrichiella 410-412
 - acuminatum 409
 - arthrosporioides 413
 - avenaceum 413
 - bullatum 410
 - camptoceras 409, 412, 413
 - chlamydosporum 410-412
 - var. chlamydosporum 413
 - var. fuscum 413
 - decemcellulare 412
 - moniliforme 411
 - neoceras 414
 - nivale 408
 - pallidroseum 409, 412
 - var. majus 413
 - var. pallidroseum 413
 - poae 409, 411, 413
 - proliferatum 414
 - reticulatum 409
 - sacchari 414
 - semitectum 409
 - sporotrichioides 410, 411
 - stilboides 410, 412
 - subglutinans 414
 - tricinctum 409, 411, 413
 - ventricosum 409, 410, 414
 - verticillioides 414
- Fusicidea
 - cyathoides 421
 - subfilamentosa 16
- Fusisporium 408, 410
- Ganoderma 35, 234
 - annularis 234
 - applanatum 233
 - australe 232-234
 - formosanum 35
 - fusco-pallens 233
 - lucidum 35, 234
 - microsporum 35, 36-38, 40
 - neurosporum 235
 - sculpturatum 229, 235
- Gautieria 280
 - graveolens 277
- Gastrum
 - fornicatum 109, 110, 115
- Gerlachia 408
- Gibberella 408
- Gigaspora 360
 - gigantea 360
- Gloeophyllum
 - imponens 235
 - sepiarium 231
- Glomus 360
- Gomphillus 237
- Gorgoniceps
 - kalmiae 331
- Graphis
 - afzelii 421
 - scripta 421
- Gyalectidium 237
- Gyalideopsis 237
- Gyoefferfella 94
- Haematomma
 - eremacum 421
 - pruinatum 421, 426
 - puniceum 421
- Halosphaeria
 - mediosetigera 356
- Hansenula 202
- Helminthosporium 159
 - euphorbiae 159, 160
- Helotiella
 - aureococcinea 328
- Helotium
 - herbarum 310
- Hemitrichia
 - calyculata 431
 - chrysospora 431
 - clavata 431
 - imperialis 431
 - karstenii 431
 - minor 431
 - serpula 431
- Hendersonula
 - toruloidea 374
- Heppia
 - acarosporoides 421
- Hercospora 396
- Heterodea
 - beauleholei 421
 - muelleri 421
- Heterodermia
 - dendritica 421

- japonica* 421
obscurata 421
speciosa 421
Hexagonia 229, 235
angulata 235
atra 235
burchelli 235
caliginosa 235
crassispota 235
dermatiphora 235, 236
ferruginosa 235
flavofusca 235
hirta 235, 236
hydroides 234
lignosa 235
lineata 235
mirabilis 235
murina 235
olivacea 235
pectinata 235
scruposa 236
smallii 236
speciosa 235
tenuis 235, 236
umbrosa 236
velutino-glabra 236
Honrubia 94
Hyalotiella
americana 90
Hygrophorus 109, 110
Hymenoscyphus
caudatus 305, 307
ericae 371, 372, 374, 376
Hypocoenomyce
australis 421
scalaris 421
Hypocrea 456
hypoxylon 456
Hypocrella 455
hypoxylon 455-456
Hypogymnia 469, 471, 474
austerodes 383
australica 469-471, 475
billardieri 475
delavayi 469, 471, 473, 474
enteromorphoides 469, 470, 475
kosciuskoensis 475
lugubris 473, 474
var. compactior 475
var. lugubris 475
var. sikkimensis 474
var. sublugubris 475
mundata 475
oroarctica 383, 389
pectinata 469, 472, 475
physodes 383
pseudobitteriana 469, 472, 473, 475
pulchriolata 421, 475
pulverata 422, 475
subobscura 383, 388
subphysodes
var. austerodioides 422, 475
var. subphysodes 422, 475
tasmanica 469, 470-472, 475
tubularis 475
turgidula 470, 472, 475
vittata 472, 475
zeylanica 469, 472-474
Hysterangium
brachyrhiza 109, 110, 115
Incrucipulum 344
capitatum 323
sulphurellum 341
Inocybe 110
Inonotus 230
ochroporus 230
Ionomidotis
frondosa 305
Ischnoderma
albo-textus 232
Issatchenkia 201
Japonogaster 71, 73
oohashianus 71
Kalmusia 396
Karoowia 177-182, 183, 186-188, 191
adhaerens 177-182, 183, 184, 194
adligans 177, 178, 182-184, 185, 187, 189, 194
arquata 177, 178, 182-184
ganymedea 177, 178, 182, 183, 185, 195
insipida 177-179, 182, 185-187, 192, 195
leptoplaea 177, 178, 182, 184, 185, 186, 189, 192, 196
microscopica 177, 178, 182, 186, 187, 196
perspersa 177-179, 182, 186, 187, 196
protocetrarica 177, 178, 182, 187, 188, 197
ralla 177, 178, 182, 187-189, 197
salazinicola 177, 178, 182, 188, 189, 195
saxeti 177, 178, 180, 182, 184, 187, 188, 190, 191, 197
scitula 177, 178, 182, 190, 191, 198
spissa 177, 178, 180, 182, 185, 190,

- 191, 198
squamatica 177, 182, 192
subchalybaeizans 177, 178, 181, 182,
 189, 191, 192, 198
- Laboulbenia** 163, 168
 coiffaitii 168
 endogaea 168
 pedicellata 168
reicheiae 163, 165, 167, 167
speluncaae 163, 166-168
- Lachnella**
 agrostina 318
 albolutea 328
 bicolor 317, 321
 citrina 325, 326, 333
 phragmiticola 328
 solenia 337
 subochracea 341
 tiliiae 317, 347
 viridicoma 350
- Lachnellula**
 phragmiticola 328
- Lachnum** 335, 337, 344, 350
 aeruginosum 321
 albidroseum 317, 332
 bicolor 321, 344
 capitatum 317, 322, 323, 348
 clandestinum 337
clavisporum 317, 335
 cruciferum 317, 341
luteodiscum 317, 332, 333, 335
myricaceum 317, 335, 342
 sulphurellum 317, 341, 342, 348
 thindii 341
- Lactarius**
 barrowsii 110, 115
- Lamproderma**
 arcyrionema 435
 columbinum 435
 scintillans 435
- Lasiobelonium** 332
- Lecania**
 erysibe 422
- Lecanora** 170, 172
 atrosulphurea 383, 389
 badia 383, 392
 behringii 383, 392
 broccha 169-171, 175
 caesiorubella 422
 subsp. *glaucomodes* 422
 campestris 422
 contractula 383, 392
 epibryon 169-171, 173-175, 383
 erythrostickta 426
- expallens 422
 geophila 383, 386, 388, 391
 intricata 383, 389
 leptoplaea 383
 marginata 383
 muralis 177, 422
 pallida 422
 parmelina 169, 171
 polytropia 383, 388-389
 rupicola 422
 sphaerospora 422
- Lecidea**
 aleuroides 15
 atrobrunnea 383, 391
 atrofulva 390
 auriculata 383
 breviuscula 15
 var. *breviuscula* 15
 var. *glauccella* 13
 var. *phaeobysina* 14
 canoumbria 12
 congregans 16
 contigua 422
 corallina
 var. *schizophylloides* 15
 var. *subcrustacea* 15
 f. *saxicola* 14
 coroniformis 16
 curatellae 17
 emstiana 13
 glabriuscula 13
 glauca 422
 laeta 422
 lateritia 426
 leucophyllina 17
 limitata 422
 miradorensis 14
 multiflora 422, 426
 munda 12
 ochroleuca 417, 422, 426
 ochroxantha 13
 parvifolia
 f. *subgranulosa* 12
 planata 422
 porphyromelaena 14
 santensis 14
 schizophylloides 12
 silacea 390
 spinulosa 13
 stylophora 17
 subvirescens 13
 templetonii 422
 thaleriza 17
 varians 422
- Lecidoma**
 demissum 384, 387

- Leciophysma*
 finmarkicum 383, 386
Lenzites
 acuta 230, 235
 stereoides 230
 vespacea 230, 235
Lepraria
 neglecta 385, 386
Leproloma
 membranacea 422
Leptogium
 brebissonii 422
 menziesii 422
 phyllocarpum 422
Leptosphaeria 205, 208, 209
 acuta 209
 comuta 208
 foeniculacea 208
 foeniculi 208
 ladina 208, 209
 libanotis 208
 pimpinellae 205, 206, 208, 209
 planiuscula 206
 sileris 208
 simmonsii 208
Leptotrema 422, 437
 zollingeri 439, 444
Letrovitia
 domingensis 422
Libartania
 laserpitii 90
Licea
 biforis 430
 denudescens 430
 erectoides 430
 kleistobolus 430
 minima 430
 operculata 430
 pedicellata 430
 scyphoides 430
Lichenothelia
 scopularia 422
Lichina
 minutissima 422, 426
Lindbladia
 tubulina 430
Loweoporus
 fusco-purpureus 232, 235
 inflexibilis 233
 roseo-albus 233
Lycogala
 conicum 430
 epidendrum 430
 exiguum 430
 flavofuscum 431
Machrideola
 comea 435
Mamiania 396
Melanops
 ferruginea 395
Melogramma 396
Menegazzia
 caesiopruinosa 422
 platytrema 422
Metatrichia
 vesparium 431
Microascus
 exsertus 211, 213, 214, 216
Microcalicum
 conversum 422
Microdochium 408, 411
Microlynchus 238
Micronectriella 408
Microspatha 238
Microstoma
 floccosum 310
 var. *macrosporum* 310
Microthelia
 micula 422
Midotis 283
 heinricheri 283
Miniancora 85, 86
 allisoniensis 85, 86-89
Miriquidica
 nigroleprosa 383
Moellerodiscus 303, 305, 306
Mollisia 305, 334
Mollisiella
 albidorosea 332
Monochaetia 287
 veneta 291, 293
Monographella 408
Mucilago
 crustacea 433
Mucor 121
Mycocalicum
 albonigrum 422
 subtile 422
 victoriae 422
Mycoporum
 quercus 422
Mycotypha 121
Myriogenospora 455, 456
Myriotrema 437, 438, 441
 bahianum 440
 craterellum 437, 438
 extendens 437-439
 glaucophaenum 439
 immersum 440

- lunense* 437-439
microphthalamum 437, 440
microstomum 444
myriotremoides 439
permaculatum 437-439, 440
sembilanense 437, 440, 441
viride 437, 440, 441
Myrmaecium 396
- Navisporus*
sulcatus 234
Nectria 408
rigidiuscula 408
Neofuscelia
imitatrix 422
incantata 422
loxodella 422
pulla 422
verrucella 422
Neophyllis
pachyphylla 16
Nodularia
balsamicola 349
Nodulosphaeria
ladina 208
- Ocellularia* 422, 437, 441, 443-446
aubertianoides 437, 445
bakoensis 437, 440-442
berkeleyana 445
caledoniensis 439
cubana 445
deformis 437, 441, 442
eurychades 437, 442
flavomedullosa 437, 442, 443
gentingensis 437, 442, 443
globosa 444
inexpectata 437, 443, 444
kinabalensis 437, 443, 444
mauritiana 445
meiosperma 442
phaeotropa 445
pruinata 437, 445, 446
tuberculata 437, 445, 446
- Ochrolechia*
frigida 384, 387
grimmiae 384, 388
pallescens 422
parella 422
pseudotartarea 422
subathallina 422
subpallescens 422
upsaliensis 384, 386, 388
Oidiodendron 371
griseum 374
rhodogenum 374
Omphalina
hudsoniana 385, 388
Oospora
verticillioidea 414
Ophiodothis 456
gaduae 456
henningsiana 456
hypoxylon 456
Ophioparma
ventosa 383, 389
Orbilina
curvatispora 306, 307
Orphniospora
morioopsis 384
Otidea 283, 300
daliensis 297, 300, 301
- Paecilomyces*
verticillioidea 411
Pannaria
elator 422
pezizoides 383
pityrea 422
rubiginosa 422
Pannoparmelia
angustata 422
wilsonii 422
Paradiacheopsis
cribrata 433
Paraparmelia 22, 28
astricta 30
brownliei 22, 23
mongaensis 31
olivetorica 30
rupicola 401
sammyii 422, 426
sargentii 422, 426
subtropica 24
Parmelia 21, 28, 29, 32, 178, 187
sect. Xanthoparmelia 42, 43
subsect. Endocoerulea 42, 43
adhaerens 26, 182
adligans 26, 184
aleuritica 41
alpicola 383
araucariarum 29
arquata 184
astricta 30
bouly-de-lesdainii 42, 43
burmeisteri 30
centrifuga 41
condyloides 28
conspersa 29
delavayi 473
disjuncta 383, 388

- distincta* 41-43
 f. bouly-de-lesdainii 42
 f. subcongruens 42
dwaasbergensis 21, 22, 24, 25
encrustans 187
evernica 21, 29
 fausta 31
flavobrunnea 42, 43
ganymedea 185
incurva 41, 383, 389
infumata 383, 391
inops 21, 22-25
insignis 31
insipida 185
interrupta 182
leptoplaca 185
lyrigeria 21, 24-27
 mongaensis 31
 nimbicola 32
 omphalodes 383
 pectinatula 472
 perspersa 187
 princeps 32
 prolata 22
 pudens 28
 ralla 189
rubropustulata 21, 29
 saxatilis 384
 saxeti 190
 scitula 190
 separata 41
 seto-maritima 190
 sigillata 33
 sitiens 21, 26-28
 spissa 190
 squamariaeformis 190
 squamariata 32
 squamatica 192
 subcentrifuga 41
 subcongruens 42, 43
 var. bouly-de-lesdainii 42
 sulcata 384, 392
 tantillum 26
 thamnolica 32
 tortula 22
 trachythallina 32
 vanderbylii 22
 xanthomelanoides 24
Parmelina
 conlabrosa 422
 endoleuca 422
 labrosa 423
 quercina 423
Parmentaria
 microspora 423
- Parmotrema*
 breviciliatum 400, 401
 chinense 423
 cooperi 423
 demethylmicrophyllinicum 30
 dilatatum 423
 praesorediosum 423
 pseudobreviciliatum 399, 400-402
 reticulatum 423
 subrugatum 423
 subsumptum 423
 tinctorum 423
 vartakii 401
Patellaria
 aureococcinea 328, 330
Peccania 423
Peltigera 388
 didactyla 384, 388
 dolichorhiza 423
 lepidophora 384, 387
 leucophlebia 384, 388
 malacea 384
 neckeri 384, 388
 rufescens 384, 388
 spuria
 var. erumpens 423
Peltula
 australiensis 423
 euploca 423
 omphaliza 423
 placodizans 423
Penicillium 216
Perenniporia 233
 clelandii 232
 malvena 229, 233
 tephropora 234
 truncatospora 233
Perichaena
 chrysosperma 431
 corticalis 431
 depressa 431
 minor 431
 vermicularis 432
Perrotia 328, 331
 distincta 317, 327, 328, 348
 flammea 328
 phragmiticola 317, 328, 330
 populina 328, 330
Pertusaria
 dactylina 384, 386, 387
 flavicans 423
 hymenea 423
 leioplaca 423
 leioplacella 423
 oculata 169, 384

- pertusa 423
 pustulata 423
 Pestalotia 287, 291
 corni 291, 293
 eupyrena 287
 gastrolobi 287, 289
 veneta 287, 291, 293, 295
 Pestalotiopsis 287, 291
 besseyi 291
 citrina 291
 eupyrena 287, 289, 291
 gastrolobi 289, 291, 293
 maculans 287
 Pezicula
 kalmiae 331
 Peziza 318
 agrostina 317, 318, 320, 321
 albotestacea 320, 321
 bicolor 347
 capitata 323
 cephalotricha 324
 chamaeleontina 324
 coprinaria 65
 crucifera 341, 345
 distincta 328
 eupatorii 340
 grevillei 349, 350
 hyppocopa 65
 kalmiae 331
 longipila 317, 331, 332
 luteodisca 332, 335
 myricacea 335-336
 paraphysata 335
 rubra 67
 saccardiana 306-308
 solenia 337
 stericola 325
 subochracea 340
 sulphurella 341, 345
 tiliacae 347, 349
 turbinulata 326
 urticina 317, 349, 350
 viridicoma 350
 Pezizella
 albidorosea 332
 ericae 371
 Phaeocollybia 127, 128, 137, 145, 146, 148
 sect. Microspora 146
 sect. Phaeocollybia 146
 sect. Radicatae 146
 sect. Subattenuata 146
 sect. Versicolores 146
 arduennensis 127, 133, 136-138, 142,
 146, 148
 attenuata 131, 146, 148
 subsp. mexicana 148
 californica 127, 132, 141, 143, 146, 148
 christinae 127, 131, 140, 141, 143, 145,
 146, 148
 cidaris 132, 138, 140
 fallax 128, 146, 148
 hilaris 127, 136, 138-140, 142, 146, 148
 kauffmanii 127, 128, 141, 143-146, 148
 latispora 127, 128, 130, 131, 143, 145,
 146, 148
 lugubris 146, 148
 martinicensis 127, 130, 131, 133,
 145, 146, 148
 mexicana 145, 146, 148
 neosimilis 145, 146, 148
 oligospora 127, 139, 142, 143, 145, 146,
 148
 piceae 131
 procera 135
 radicata 138
 similis 131, 143
 singerii 127, 133, 134, 135, 144-146,
 148
 spoliata 146, 148
 subarduennensis 138
 Phaeographina 423
 Phaeographis 423
 Phaeophyscia
 endococcinoides 423
 orbicularis 423
 sciastra 384
 Phaeotrema 423, 437
 Phellinus 232, 233
 conchatus 233
 fastuosus 233
 gilvus 233
 höhneltii 233
 igniarius 232
 linteus 234
 noxius 235
 pachyphloeus 234
 pusillus 229, 234
 rhabbarinus 235
 rimosus 235
 robustus 234, 235
 sanfordii 235
 senex 233
 setulosus 235
 sublamaensis 229, 235
 Phialophora 310
 Phoma 205, 209
 Phyllachora
 kalmiae 331
 Phyllopsora 1-4, 6, 10-12, 15, 17, 18
 albicans 14
 aleuroides 15

- brachyspora 15
 breviscula 2, 15
 var. glauca 13
 var. phaeobysina 14
 buettneri
 var. glauca 12
 var. munda 12, 15
 canoumbrina 12
 cinerella 13
 f. virescens 14
 compaginata 18
 congregans 16
 corallina
 var. glauca 13
 var. ochroxantha 13
 var. phaeobysina 14
 var. santensis 14
 var. schizophylloides 15
 var. subcrustacea 15
 coroniformis 16
 cryptocarpa 16
 curatellae 17
 ernstiana 13
 fimosana 14
 glabriuscula 13
 jancirensis 8
 leprosa 16
 longispora 18
 martinii 14
 melanocarpa 16
 melanoglaucula 12
 microphyllina 6
 minor 15
 miradorensis 14
 munda 12
 ochroxantha 13
 parvifolia 4
 var. breviscula 15
 var. glauca 12
 var. subgranulosa 12
 peritexta 6
 polydactyla 13
 porphyromelaena 14
 pyrrhomelaena 17
 santensis 14
 schizophylloides 12, 15
 spinulosa 13
 stenospoma 6
 stenospora 8
 stylophora 17
 subcorallina 16
 subcrustacea 15
 subfilamentosa 16
 subvirescens 13
 thaleriza 17
 wellingtonii 16
 Physalosporina 396
 Physarella
 oblonga 433
 Physarum
 alpinum 433
 bethelii 433
 bivalve 433
 bogoriense 433
 brunneolum 433
 cinereum 433
 citrinum 433
 compressum 433
 contextum 433
 crateriforme 433
 decipiens 433
 didema 433
 didemoides 433
 flavicomum 433
 galbeum 433
 globuliferum 433
 gyrosum 433
 javanicum 433
 lateritium 433
 leucopus 433
 leucophacum 433
 listeri 434
 luteolum 434
 megalosporum 434
 melleum 434
 nicaragense 434
 notabile 434
 nucleatum 434
 nutans 434
 oblatum 434
 ovisporum 434
 penetrale 434
 pezizoideum 434
 polycephalum 434
 psittacinum 434
 pusillum 434
 puniceum 434
 rigidum 434
 roseum 434
 sessile 434
 serpula 434
 stellatum 434
 straminipes 434
 sulphureum 434
 tenerum 434
 vernum 434
 virescens 434
 viride 434
 Physcia 390
 aipolia 423

- alba 423
- albicans 423
- caesia 384, 390-392, 423
- dubia 384, 391, 392
- stellaris 423
- tribacia 423
- viarella 423
- Physcidia 2, 11
- endococcinea 6, 10
- squamulosa 11
- wrightii 11
- Physconia
- muscigena 384, 388
- pulverulenta 423
- Phytophthora 243, 244, 249, 256, 450, 451
- allii 244, 256, 274
- cinnamomi 248
- colocasiae 243
- cryptogea 248
- formosana 244, 256, 270
- gonapodyides 450, 451
- infestans 248
- lycopersici 244, 256, 270
- melongenae 244, 256, 263, 274
- nicotianae 243-246, 248-257, 263, 264, 266, 273, 274, 276
- var. nicotianae 244, 245, 250-252, 254-256
- var. parasitica 244, 245, 251, 252, 254, 256, 257, 267
- f. sp. nicotianae 257
- f. sp. parasitica 257
- palmivora 263
- parasitica 243-246, 248, 250-252, 254, 256, 257, 263, 264, 266, 267, 269-275
- var. macrospora 275
- var. nicotianae 244, 245, 257, 275
- var. piperina 244, 256, 269, 275
- var. rhei 244, 267, 274, 275
- var. sesami 257, 271
- f. sp. nicotianae 257
- (rank?) macrospora 256, 274
- (rank?) microspora 256, 267
- ricini 244, 256, 270
- tabacci 244, 263, 267
- terrestris 244, 256, 263, 274, 275
- undulata 449-451
- Pichia 201, 202
- acaciae 203
- besseyi 203
- castillae 203
- guilliermondii 203
- haplophila 203
- inositovora 203
- media 203
- mexicana 203
- nakazawae 203
- segobiensis 203
- spartinae 203
- stipitis 204
- Piptoporus
- betulinus 231
- Pisolithus
- tinctorius 477-480
- Pithoascus
- exsertus 211
- Placopsis
- perugosa 423
- Placynthium
- asperellum 384
- Plectosphaerella 408
- Pleurotremia
- pyrenuloides 423
- Polyporus
- alveolaris 232
- craterellus 232
- lucidus 234
- philippinensis 232
- tenuiculus 232
- Polysporina
- simplex 423
- Porocyphus
- lichenelloides 423, 427
- Porpidia
- macrocarpa 423
- pseudomelinodes 384, 389
- turgescens 29
- Protoparmelia 177
- Protoparmeliopsis 177
- Pseudophebe
- minuscule 384, 388-391
- pubescens 384
- Pseudochlorella 2, 18
- Pseudocyphellaria
- aurata 423
- billardierei 423
- crocata 423
- neglecta 423
- richardii 423
- Pseudofavolus
- cucullatus 235
- Pseudofusarium 409, 410
- Pseudoparmelia 41
- Psilocybe
- banderillensis 134
- xalapensis 134
- Psiloparmelia 41, 42, 44
- arhizina 41, 43, 44
- distincta 41, 42, 44
- Psora
- breviuscula 15

- compaginata 18
 crenata 16
 decipiens 423
 emstiana 13
 parvifolia
 var. subgranulosa 12
 polydactyla 13
 rubiformis 384
Psorella 1, 2, 6
 cognata 6
 delusa 6
 janeirensis 6, 8
 leptosperma 6
 leucophyllina 6, 17
 pannarioides 6
 psorina 6
 spruceana 6
 tryptophyllina 6
Psoroma
 hypnorum 383, 387, 388, 392
 sphinctrinum 423
Psoromidium
 alcuroides 15, 16
 wellingtonii 16
Punctelia 400
 colombiana 400, 401
 hypoleucites 400
 jujensis 399, 400, 402
 microsticta 400
 nebulata 400
 negata 400
 novozelandica 400
 semansiana 403
 subalbicans 400, 423
 subrudecta 423
Pyrofomes
 perlevis 234
Pythiomorpha 449-451
 gonapodyides 450, 451
 undulata 449, 450
Pythium 244, 249, 450
 deliense 249
 undulatum 449, 450
 var. litorale 449
Pyxine
 coccifera 423
 cocoes 423
 petricola 423
 subcinerea 423
Ramalea
 cochleata 423
Ramalina
 australiensis 423
 canariensis 424
 celastri
 subsp. celastri 424
 subsp. ovalis 424
 fissa 424
 glaucescens 424
 inflata
 subsp. australis 424
 subfraxinea
 var. norstictica 424
 var. subfraxinea 424
Rhizocarpon 390
 geminatum 384, 388, 391
 geographicum 384, 388, 424
 grande 384
 polycarpon 424
 pusillum 384
 renneri 384, 390
 tinei 424
Rhizopla
 melanophthalma 383, 392
Rhizopogon 116
 ellenae 107, 109-111
 pachydermus 109, 110, 115
 pinyonensis 107, 109-111, 115
Rhizopus 216
Rhodotorula 405, 406
 buffonii 406
 dulcaminis 406
 futronensis 406
 lignophila 406
 nothofagi 406
Rhynchostoma 396
Rinodina
 bischoffii 424
 roscida 384
 thiomela 424
 turfacea 384, 388
Rinodinella
 halophila 424
Rocella
 montagnei 424
Russula 45, 52, 55
 subsect. Amoeninae 52
 subsect. Cyanoxanthinae 60
 subsect. Fistulosinae 54, 59
 subsect. Guayarenses 45, 52, 54
 subsect. Metachromaticae 52
 subsect. Mimeticinae 55, 60
 subsect. Nigricantinae 59
 subsect. Pelliculariae 45, 59
 subsect. Pluviales 55, 56, 59
 subsect. Radicantes 59
 amnicola 60
 atrovinosa 55, 59, 61, 62
 binganensis 53

- cyanoxantha 60
 echinospora 52
 guayarensis 45, 47-52
 heterochroa 55, 56, 59, 60
 lamprocystidiata 46, 50-52
 leguminosarum 55, 56, 59, 61, 62
 luteopulverulenta 53
 metachromatica
 subsp. notoleuca 53
 mimetica 55, 59-62
 nanella 57, 59-60
 obtusopunctata 55, 56, 57, 61, 62
 pluvialis 59
 radicans 57, 59
 rosacea 110, 117
 tawai 52
- Saccharomyces
 farinosus 203
- Sarcogyne
 clavus 424
 privigna 424
 regularis 424
- Scalenomyces 168
 endogaeus 168
- Scutellinia 67
 abundans 310
 kerghuelensis 308
- Scutellospora 219, 224, 357, 360
 biornata 219, 220-225
 calospora 225
 heterogama 225
 nigra 360
 scutata 357, 358, 360, 361
 verrucosa 360
- Scytalidium 372, 374, 376
 fulvum 376
 lignicola 374
 vaccinii 371, 372-374, 376
- Seimatosporiopsis 101, 102
- Seimatosporium 101
- Seiridium 287, 293
 corni 287, 293
 venetum 287, 293, 295
- Siphula
 coriacea 424
- Siphonema
 paradoxum 424
- Smardaea
 protea 308, 309
- Solenopezia
 solenia 317, 337, 338, 340, 348
- Solenopeziza
 aureococcinea 328, 330
- Solenopsora
 vulturiensis 424
- Solorina
 bispora 384
 crocea 384
- Sorosporium
 catharticum 153, 155
- Sphacelia 456, 458, 464
 segetum 456, 458
 typhina 456
 (rank?) aeruginosa 456
- Sphacelotheca
 guaranitica 155
 rhei 153, 156
 titovii 153, 156
- Sphaerophorus
 fragilis 384
 globosus 384, 388
- Sporastatia 389
 testudinea 382, 388-391
- Sporisorium
 catharticum 153, 155
 guaraniticum 153, 155
- Squamacidia 1, 3, 6, 8, 10, 11
 janeirensis 4, 6, 8
 var. endococcinea 10
- Squamaria
 interrupta 182
- Stemonitis
 axifera 435
 flavogenita 435
 fusca 435
 herbatica 435
 hyperopta 435
 microsperma 435
 nigrescens 435
 pallida 435
 smithii 435
 splendens 435
 trechispora 435
 uvifera 435
 virginiensis 435
- Stereocaulon
 alpinum 384, 387
 arenarium 384, 387
 corticatulum 424
 rivulorum 384
- Synalissa
 symphorea 424
- Szczawinska 238
- Teloschistes
 chrysophthalmus 424
 sieberianus 424
- Tephromela
 atra 424
- Thalloidima

- janeirensis 8
 leucophyllum 17
 Thamnolia
 vermicularis 385, 386
 Thelotrema 437, 446
 auberianoides 445
 eurychades 442
 fissuratum 437, 445, 446
 lepadinum 424
 microphthalmum 440
 verruculosum 437, 446, 447
 Thysanothecium
 hookeri 424
 scutellatum 417, 424
 Tilletia 156
 rhei 153, 155, 156
 Toninia
 australiensis 424
 caeruleonigricans 424
 cumulata 424
 Tonulopsis
 buffonii 406
 Trametes 231
 bresadolae 231
 elegans 230, 231
 lactinea 231
 ljubarskyi 231
 radiata 231
 sinensis 229, 231
 villosa 232
 Trapelia
 coarctata 424
 mooreana 424
 Trapeliopsis
 congregans 16
 granulosa 385
 Tremolecia
 atrata 383, 389, 390
 Tricharia 237
 Tricharina 313, 316
 ascophanoides 313, 314
 gilva 309
 Trichia
 botrytis 432
 contorta 432
 decipiens 432
 favoginea 432
 floriformis 432
 lutescens 432
 scabra 432
 subfusca 432
 varia 432
 verrucosa 432
 Trichocladium 353, 356
 achrasporum 353, 356
 angelicum 353-356
 Trichopeziza 320, 321
 agrostina 318, 319
 albotestacea 320
 var. *agrostina* 317, 318, 320, 322
 capitata 323
 distincta 328
 kalmiae 317, 331
 leucophaea 317, 321
 myricacea 336, 337
 relicina 317
 subochracea 340
 sulphurea 320
 tiliae 347
 viridicoma 350
 Trichopezizella 332
 relicina 332
 Trichophaea 300, 302, 310
 abundans 310
 gregaria
 f. *gregaria* 309
 pallidibrunnea 297, 300, 301
 Tricladium 94
 Trinacrium 90
 Tubifera
 caspari 431
 ferruginea 431
 microsperma 431
 Tuburcinia
 miyabeana 157
 polygonati 157
 Typhodium 455, 456

 Umbilicaria 389
 arctica 385
 cylindrica 385, 389
 decussata 385, 390, 391
 hyperborea 385, 388-390
 lyngei 385, 389
 polyphylla 424
 proboscidea 385, 388
 torrefacta 385, 389
 virginis 385
 Urocystis 156, 157
 miyabeana 153, 156, 157
 nevodovskyi 153, 156
 polygonati 153, 156, 157
 ungeri 157
 Usnea
 angulosa 424
 arida 424
 ceratina 424
 consimilis 424
 inermis 424
 pulvinata 417, 424

- scabrida 424
 torulosa 424
 xanthopoga 424
 Ustilago
 guaranitica 153, 155
 hsuii 153, 155-157
 ixiolirii 153, 156, 157
 penniseti 155
 Valsa 396
 Verrucaria
 calciseda 424
 maura 424
 sphinctrina 424
 Verticillium
 verticillioides 411
 Wilcoxina 316
 Williopsis 202
 Wynnea 283
 Xanthoconium 75, 76, 78, 81
 affine 75-81
 var. maculosum 75-79, 81
 montaltoensis 75, 77-81
 montanum 75, 76, 78, 80, 81
 Xanthoparmelia 28, 41, 42, 177, 178, 184,
 187, 192
 adhaerens 182
 alternata 424
 amplexula 424
 antleriformis 424
 arapilensis 424
 australasica 424
 bellatula 424
 burneisteri 30
 cheelii 424
 colorata 178
 concomitans 424
 congenis 425
 congesta 425
 constipata 425
 cravenii 425
 dayiana 425
 dichotoma 425
 digitiformis 425
 dissitifolia 425
 distincta 41, 42
 donneri 425
 eiliffii 425
 elixii 425
 encrustans 187
 everardensis 425
 evernica 29
 exillima 425
 filarszkyana 425
 filsonii 425
 flavescensireagens 425
 flavobrunnea 42
 flindersiana 425
 fumigata 425
 furcata 425
 gerhardii 425
 glareosa 425
 globulifera 425
 gongylodes 425
 hypoleia 425
 incerta 425
 inconspicua 26
 incrustedata 425
 interrupta 182
 isidiigera 425
 isidiosa 425
 keralensis 177
 lineola 425
 louisii 425
 metacystoides 425
 mexicana 425
 molliuscula 425
 mougeotii 177
 mougeotina 425
 nana 425
 nashii 425
 neorimalis 425
 neotinctina 425
 norpraeagnans 425
 norpumila 425
 notata 425
 oleosa 425
 parvocystoides 425
 parvoincerta 425
 pertainax 425
 praeagnans 425
 prodomokosii 425
 pumila 425
 pustuliza 425
 remanens 425
 reptans 425
 rubropustulata 29
 rupestris 425
 scabrosa 425
 subcrustacea 425
 subdistorta 425
 subnuda 425
 substrigosa 425
 succedans 426
 taractica 426
 tasmanica 426
 tegeta 426
 terrestris 426
 versicolor 426

- weberi 426
willisii 426
xanthomelaena 184, 426
xanthosorediata 426
Xanthoria
candelaria 385, 392
var. laciniosa 426
elegans 385, 390, 391
ligulata 426
parietina 426
sorediata 385, 392
Xeromedulla
leptospora 302
quercicola 297, 302-304
tomentulosa 302

Yamadazyma 201, 202, 204
acaciae 203

besseyi 203
castillae 203
farinosa 203
guilliermondii 203
haplophila 203
inositovora 203
media 203
mexicana 203
nakazawae 203
ohmeri 203
philogaea 202
scolyti 203
segobiensis 203
spartinae 203
stipitis 204

Zelkova 234
acuminata 234